



Journal of Hospital Pharmacy
An Official Publication of Bureau for Health & Education Status Upliftment
 (Constitutionally Entitled As Health-Education, Bureau)

Lamivudine Induced Acute Pancreatitis in HIV Patient: A Case Report

Sanatkumar Nymagoud^{1}, Ahmv Swamy¹, Mahendra Kumar R¹ & Santosh B Patil²*

^{1*}Department of Pharmacy Practice, K L E College of Pharmacy, Vidyanagar, Hubli-580031 (A Constituent unit of KLE Academy of Higher Education and Research, Belagavi) Karnataka, India.

¹Department of Pharmacy Practice, K L E College of Pharmacy, Vidyanagar, Hubli-580031 (A Constituent unit of KLE Academy of Higher Education and Research, Belagavi) Karnataka, India.

² Department of Pharmacology, K L E College of Pharmacy, Vidyanagar, Hubli-580031 (A Constituent unit of KLE Academy of Higher Education and Research, Belagavi) Karnataka, India.

Corresponding author:

Dr. Sanatkumar B Nyamagoud, Assistant Professor, Department of Pharmacy Practice, KLE College of Pharmacy, Vidyanagar, Hubli, Karnataka, India-580031

Email Id: serviceheb@gmail.com

Abstract:

Acute Pancreatitis is a rare but potentially life-threatening condition and is known to occur with antiretroviral drugs, particularly HAART therapy by protease inhibitors (PI) such as lopinavir-ritonavir fixed dose combination and nucleoside reverse transcriptase inhibitors (NRTI) like lamivudine, stavudine and didanosine. The incidence of AP is 0.1 to 0.2% and its incidence was increased up to 5%. To best of our knowledge there are limited cases being reported on lamivudine induced pancreatitis. In this article, we report here a case of 46 year old male diagnosed with lamivudine induced acute pancreatitis.

Keywords : Acute pancreatitis, Antiviral Therapy, Nucleoside reverse transcriptase inhibitors, Highly active antiretroviral therapy.

Access this Article Online

Website: <http://www.journalofhospitalpharmacy.in>

Received on 08/07/2021

Accepted on 13/07/2021 © HEB All rights reserved

Quick Response Code:

